

Work Order ID 75942

November-02-11 8:04:14 AM

75942

Page 1

ASAP

Item ID: D3805-041

Accept

N9000040100

Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Wearplate Assembly Fwd, Low Gear

Start Date: 02/11/2011 Start Qty: 6.00

6

Cust Item ID:

Required Date: 11/11/2011 Req'd Qty: 6.00

6

Customer:

Reference:

Approvals:

Process Plan: *M.C.J.*

Date: *11/11/02*

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3805	B								

100

0.00

100

Large Fab

Memo

0.00

Large Fab

1-weld D3806-1 to D3805-1 together as per dwg D3805

304 S.S. Welding Rod

BATCH #:

M117659

2-Transfer drill holes in bar

X8 JAL 11-11-10

110

QC9- Inspect visual per QSI004- Fusion Welds

0.00

110

QC

Memo

0.00

Quality Control

Bars - 2059B

M119372

EL 11-11-10

11.11.10

(8)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 75942

75942

Page 2

November-02-11 8:04:14 AM

Item ID: D3805-041 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Wearplate Assembly Fwd, Low Gear
 Start Date: 02/11/2011 Start Qty: 6.00 ***6*** Cust Item ID:
 Required Date: 11/11/2011 Req'd Qty: 6.00 ***6*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC5- Inspect part completeness to step on W/O	0.00							
120									
QC	Memo	0.00							
Quality Control									
130	Grey Sandtex(Ref:4.3.5.6) per QSI005 4.3	0.00							
130									
Powdercoat	Memo	0.00							
Powder Coating	START TIME: 10:00								
	OVEN TEMPERATURE: 320 °F								
	FINISH TIME: 10:30								
140	QC3- Inspect Part Finish	0.00							
140									
QC	Memo	0.00							
Quality Control									

8X Ø m. 11/11/10

8 BR 11-11-10

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

75942

Page 3

N900040100

Setup Start *NS1*

Stop ***NS2***

Start Date: 02/11/2011 **Start Qty:** 6.00

6

Cust Item ID:**Required Date:** 11/11/2011 **Req'd Qty:** 6.00

6

Customer:

Reference:

Run Start *NR1*

Approvals: _____ **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____

Stop *NR2*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

**Insp.
Stamp**

0.00

150

0.00

Small Fab

Memo

Small Fab

1- Bond D3807-1 gasket to inner surface of wearplate using a thin layer of 3M 1300/1300L scotch grip adhesive as per dwg
BATCH: M119343

4

11-11-12

88

160

QC5- Inspect part completeness to step on W/O

0.00

160

0.00

QC

Memo

Quality Control

170

Identify as per dwg & Stock Location: F-1

0.00

170

0.00

Packaging

Memo

Packaging

8 x 4 relations
counted & measured

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 75942***75942***


Page 4

November-02-11 8:04:14 AM

Item ID: D3805-041 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Wearplate Assembly Fwd, Low Gear
Start Date: 02/11/2011 Start Qty: 6.00 ***6*** Cust Item ID:
Required Date: 11/11/2011 Req'd Qty: 6.00 ***6*** Customer:
Reference:

Approvals: Process Plan: Date: Tooling: Date: Run Start ***NR1***
QC: Date: SPC (Y/N): Date: Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
180	QC21- Final Inspection - Work Order Release	0.00							
180									
QC	Memo	0.00							
Quality Control									

11/11/15 

11-11-14
(8)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


8 7 6 5 4 3 2 1




D3805-041 FWD WEARPLATE ASSY, LOW GEAR



D3805-043 FWD WEARPLATE ASSY, HIGH GEAR



D3805-045 AFT WEARPLATE ASSY, LOW GEAR



D3805-047 AFT WEARPLATE ASSY, HIGH GEAR

8 7 6 5 4 3 2 1

ITEM	QTY -041	QTY -043	QTY -045	QTY -047	P/N	DESCRIPTION
1	X				D3805-041	FWD WEARPLATE ASSY, LOW GEAR
2		X			D3805-043	FWD WEARPLATE ASSY, HIGH GEAR
3			X		D3805-045	AFT WEARPLATE ASSY, LOW GEAR
4				X	D3805-047	AFT WEARPLATE ASSY, HIGH GEAR
11	1				D3805-1	PLATE
12		1			D3805-3	PLATE
13			1		D3805-5	PLATE
14				1	D3805-7	PLATE
15	1				D3806-1	BAR
16		1			D3806-3	BAR
17			1		D3806-5	BAR
18				1	D3806-7	BAR
19	1				D3807-1	GASKET
20		1			D3807-3	GASKET
21			1		D3807-5	GASKET
22				1	D3807-7	GASKET
31	A/R	A/R	A/R	A/R	2059B	HARDCOAT
32	A/R	A/R	A/R	A/R	1300 (OR 1300L)	3M SCOTCH-GRIP ADHESIVE

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 75942 M.C.J.

11/11/02

RELEASED
2011-10-03

B	REVISED D3805-1F/3F TO EASE MANUFACTURABILITY (ADDED CUTOUT AT FWD END OF PLATE PER PART 11-108) AND RE-ORGANIZED NOTES SHEETS 2 & 3	MB	11.09.16
A	NEW ISSUE	MB	08.11.21
REV.	DESCRIPTION	BY	DATE
DESIGN		DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3805	SHEET 1 OF 8
APPROVED		TITLE	SCALE
DE APPR.		WEARPLATE ASSY	NTS
DATE	11.09.16	COPYRIGHT © 2008 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector




Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

75942



RELEASED
2011-10-03

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT "GREY SANDTEX" (4.3.5.6) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3805-04X" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: D3805-041 = 4.18 lbs; D3805-043 = 4.78 lbs
- 8) WELDING: PER QSI 004
- 9) 2059B HARDCOAT WELD, 0.19 THICK X 0.50 WIDE, FLUSH WITH D3806-X BAR ON ALL 3 SURFACES
- 10) AFTER WELDING, TRANSFER DRILL THRU BAR FROM PLATE
- 11) AFTER FINISH, BOND D3807-X GASKET TO INNER SURFACE OF WEARPLATE USING A THIN LAYER OF 3M 1300/1300L SCOTCH GRIP ADHESIVE

DESIGN		DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO. D3805	REV. B
MFG. APPR.		SHEET 2 OF 8	
APPROVED		TITLE	SCALE
DE APPR.		WEARPLATE ASSY	NTS
DATE	11.09.16	<small>COPYRIGHT © 2008 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS COVENANT THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

75942



RELEASED
2011-10-03

- NOTES: **B**
- 1) MATERIAL: N/A
 - 2) FINISH: POWDER COAT "GREY SANDTEX" (4.3.5.6) PER DART QSI 005 4.3
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3805-04X" USING FINE POINT PERMANENT INK MARKER
 - 7) WEIGHT: D3805-045 = 4.24 lbs; D3805-047 = 4.53 lbs
 - 8) WELDING: PER QSI 004
 - 9) 2059B HARDCOAT WELD, 0.19 THICK X 0.50 WIDE, FLUSH WITH D3806-X BAR ON ALL 3 SURFACES
 - 10) AFTER WELDING, TRANSFER DRILL THRU BAR FROM PLATE
 - 11) AFTER FINISH, BOND D3807-X GASKET TO INNER SURFACE OF WEARPLATE USING A THIN LAYER OF 3M 1300/1300L SCOTCH GRIP ADHESIVE

DESIGN	92	DART AEROSPACE USA, INC.	
DRAWN	JP	KENT, WA	
CHECKED	JP	DRAWING NO. D3805	REV. B
MFG. APPR.	JP	SHEET 3 OF 8	
APPROVED	JP	TITLE	SCALE
DE APPR.	JP	WEARPLATE ASSY	NTS
DATE	11.09.16	<small> COPYRIGHT © 2008 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC. </small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries

75942

8 7 6 5 4 3 2 1



D3805-1 PLATE
(MAKE FROM D3805-1F)



D3805-1F PLATE

RELEASED
2011-10-03

NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524
18 GAUGE (0.050 THICK)
REF. DART SPEC. M304S18GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 2.11 lbs

DESIGN		DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO. D3805	REV. B
MFG. APPR.		SHEET 4 OF 8	
APPROVED		TITLE	SCALE
DE APPR.		WEARPLATE ASSY	NTS
DATE	11.09.16	<small>COPYRIGHT © 2008 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

8 7 6 5 4 3 2 1

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

A horizontal number line with tick marks labeled 1 through 8 from right to left. The line is divided into seven equal segments by these tick marks.



(MAKE FROM D3805-3F)



D3805-3F PLATE

RELEASED
2011-10-03
JMB

- NOTES:**
 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524
 18 GAUGE (0.050 THICK)
 REF. DART SPEC. M304S18GA
 2) FINISH: NONE
 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 6) IDENTIFICATION: N/A
 7) WEIGHT: 2.36 lbs

DESIGN	<i>g</i>	DART AEROSPACE USA, INC. KENT, WA DRAWING NO. D3805 TITLE WEARPLATE ASSY COPYRIGHT © 2008 BY DART AEROSPACE USA, INC. <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR BE COPIED OR REPRODUCED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	REV. B
DRAWN	<i>g</i>		SHEET 5 OF 8
CHECKED	<i>g</i>		SCALE
MFG. APPR.	<i>g</i>		NTS
APPROVED	<i>g</i>		
DE APPR.	<i>g</i>		
DATE	11.09.16		

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

75942



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

75942



D3805-7 PLATE
(MAKE FROM D3805-7F)



D3805-7F PLATE

RELEASED
2011-10-03

NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524
18 GAUGE (0.050 THICK)
REF. DART SPEC. M304S18GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 2.13 lbs

DESIGN		DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3805	SHEET 7 OF 8
APPROVED		TITLE	SCALE
DE APPR.		WEARPLATE ASSY	NTS
DATE	11.09.16	<small>COPYRIGHT © 2008 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries

75942




DETAIL F
SLOT DETAIL TYP
SCALE 4X

C5-4
C5-5
C4-6
C4-7




DETAIL G
SLOT DETAIL TYP
SCALE 4X

C1-4
C1-5
C1-6
C2-7



DETAIL J
SCALE 4X

B6-4
B7-5
B5-6
B5-7



SECTION H-H
SCALE 4X

D3-4
D3-5
D3-6
D3-7

RELEASED
2011-10-03

DESIGN	97	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO. D3805	REV. B
MFG. APPR.		SHEET 8 OF 8	
APPROVED		TITLE	SCALE
DE APPR.		WEARPLATE ASSY	NTS
DATE	11.09.16	<small>COPYRIGHT © 2008 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries